

International Journal of Research in Advanced Electronics Engineering



E-ISSN: 2708-4566
P-ISSN: 2708-4558
IJRAEE 2024; 5(1): 20-22
© 2024 IJRAEE
www.electrojournal.com
Received: 23-12-2023
Accepted: 24-01-2024

Dina Morid Ahmadi
Department of Electrical
Engineering, University of
Tabriz, Tabriz, Iran

Bardia Rahmati Kamel
Department of Electrical
Engineering, University of
Tabriz, Tabriz, Iran

Wireless sensor networks for environmental monitoring

Dina Morid Ahmadi and Bardia Rahmati Kamel

Abstract

Wireless sensor networks (WSNs) are increasingly recognized as a transformative technology for environmental monitoring. By leveraging the capabilities of these networks, researchers and practitioners can obtain real-time data on various environmental parameters, leading to better-informed decision-making processes. This paper reviews the current state of WSNs in environmental monitoring, outlines the challenges faced, and discusses potential future directions for this technology.

Keywords: Green computing, eco-friendly technology, carbon emissions, carbon foot print, e- waste, degradation

Introduction

In the realm of environmental science, understanding and mitigating the impacts of climate change are among the most pressing challenges of our time. The advent of Wireless Sensor Networks (WSNs) has opened new frontiers in atmospheric monitoring, enabling researchers to gather detailed, real-time data on various environmental parameters. This technological innovation holds the potential to transform our approach to climate change research, meteorological studies, and environmental policy making. The objective of this introduction is to elucidate the critical role of WSNs in climate change and atmospheric monitoring, emphasizing how these networks enhance our ability to observe, understand, and respond to environmental changes.

Climate change, driven by anthropogenic greenhouse gas emissions, is a global crisis that manifests in rising temperatures, shifting weather patterns, and increasing frequency of extreme weather events. These changes pose significant risks to ecosystems, economies, and communities worldwide. Effective action to mitigate and adapt to climate change requires precise, comprehensive data on its manifestations and impacts. Traditional methods of environmental monitoring, while invaluable, often face limitations in spatial and temporal coverage, making it challenging to capture the full scale and complexity of these phenomena. Wireless Sensor Networks represent a leap forward in environmental monitoring technology. Comprising numerous, distributed sensor nodes that can measure a wide range of environmental parameters—from temperature and humidity to pollutant concentrations and soil moisture—WSNs offer unparalleled granularity and coverage. These networks can be deployed in diverse ecosystems, from urban centres to remote wilderness areas, providing continuous, real-time data streams that are vital for accurate climate modelling and environmental assessment.

Objective of this study

The primary objective of leveraging WSNs in climate change and atmospheric monitoring is to enhance our understanding of environmental dynamics and improve our response to climate-related challenges.

Previous Studies

Corke *et al.*, 2010 ^[1], WSN technology facilitates long-duration and large-scale environmental monitoring, aiming for deployment and operation by domain specialists, not just engineers. Challenges include system reliability and the need to meet end-user requirements efficiently.

Roopa, 2014 ^[2], Deploying a larger number of disposable sensor nodes, equipped with sensors of less precision, can offer better spatial resolution and immediate data access, enhancing traditional environmental monitoring methods Cao *et al.*, 2008., ^[3].

Correspondence
Dina Morid Ahmadi
Department of Electrical
Engineering, University of
Tabriz, Tabriz, Iran

The development of an integrated WSN micro-environmental monitoring system highlights the system's capability for data acquisition, validation, processing, and visualization, emphasizing the importance of extracting useful information and providing real-time characteristics. Sunny & Mathew, 2017^[4], Real-time environmental monitoring applications leveraging WSN provide solutions for collecting data on various environmental conditions, such as temperature, humidity, and pressure, demonstrating the utility of WSNs in practical deployment scenarios.

Wireless Sensor Networks

Wireless Sensor Networks (WSNs) are a sophisticated technology composed of spatially distributed autonomous sensors designed to monitor physical or environmental conditions, such as temperature, sound, pressure, motion, or pollutants, and to cooperatively pass their data through the network to a main location or sink where the data can be observed and analysed.

Components of WSN

Sensor Nodes: These are the heart of the network, small and often battery-powered devices that collect data from their environment. Each sensor node is equipped with sensing, processing, and communication capabilities. They can vary in complexity from simple temperature sensors to more complex ones with multiple sensing modalities.

Sink or Base Station: This acts as the central point where data collected by the sensor nodes is gathered, processed, and sometimes forwarded to an end-user or external network. It's typically more powerful in terms of energy, processing, and communication capabilities compared to the sensor nodes.

Communication Links: Sensor nodes communicate wirelessly, which can involve direct (single-hop) communication to the base station or multi-hop communication through other sensor nodes. This is crucial for covering large areas where direct communication to the base station from every node is not feasible due to power or distance constraints.

Topology: The network topology can vary dynamically as nodes can be mobile or stationary. Topologies can range from a simple star network to more complex mesh networks, depending on the application and environment.

Applications in Environmental Monitoring

Climate Change and Atmospheric Monitoring

WSNs deployed for climate change research typically consist of a wide array of sensor types, including temperature, humidity, barometric pressure, and CO₂ concentration sensors. These sensors are often placed in various strategic locations, such as urban areas, forests, and mountainous regions, to gather data representative of different microclimates. This data helps scientists to model climate change more accurately, predict weather patterns, and assess the effectiveness of strategies for mitigating climate change. For example, CO₂ sensors monitor the levels of greenhouse gases in the atmosphere, providing essential data for evaluating how well policies on reducing emissions are working.

Water Quality Monitoring

In water quality monitoring, WSNs utilize sensors submerged in water bodies to measure physical and chemical parameters. These include turbidity sensors for water clarity, pH sensors for acidity, electrochemical sensors for detecting specific pollutants, and temperature sensors. Such networks enable continuous monitoring of water quality changes over time, identifying pollution sources quickly, and assessing ecosystem health. This detailed monitoring is crucial for protecting aquatic life, ensuring the safety of human water supplies, and managing industrial discharges into water bodies effectively.

Agricultural and Soil Monitoring

For agriculture, WSNs equipped with soil moisture sensors, nutrient sensors, and temperature sensors provide data that can be used to optimize irrigation schedules, reducing water usage while maximizing crop yields. These sensors can be deployed across various parts of a field to account for spatial variability in soil conditions. The data collected helps farmers apply precise amounts of water and fertilizers, minimizing environmental runoff and the associated pollution. Additionally, weather stations within these networks predict local weather conditions, further aiding in agricultural planning.

Forest and Wildlife Monitoring

In forests, WSNs are used to monitor environmental conditions such as temperature, humidity, and the presence of smoke to detect forest fires early. Additionally, motion sensors and acoustic sensors can track wildlife movements and activities, contributing to conservation efforts by providing data on animal behaviors, population sizes, and habitat use without human interference. This information is vital for creating effective conservation strategies and understanding the impacts of environmental changes on biodiversity.

Air Quality Monitoring

Urban air quality monitoring networks use sensors to measure pollutants like nitrogen dioxide, sulfur dioxide, carbon monoxide, and particulate matter. By deploying these sensors across different parts of a city, it's possible to identify pollution hotspots, evaluate the effectiveness of air quality regulations, and inform the public about air quality issues in real-time. This data is crucial for public health, as it enables measures to reduce exposure to harmful air pollutants.

Natural Disaster Prediction and Monitoring

For natural disaster monitoring, WSNs are equipped with sensors specific to the type of disaster. For example, seismic sensors detect early signs of earthquakes, while water level sensors in rivers and coastal areas can provide early warnings for floods and tsunamis. These networks allow for the rapid dissemination of warning signals, potentially saving lives by providing enough time for evacuation.

Glacier and Snowpack Monitoring

Glacier and snowpack monitoring employs temperature sensors, GPS sensors for detecting movements, and ultrasonic sensors to measure snow depth. This data is critical for understanding the effects of climate change on glaciers and snowpacks, predicting water availability for

downstream ecosystems and human use, and assessing risk levels for floods caused by rapid melting.

Oceanographic Research

In oceanography, WSNs deploy buoy-mounted sensors to measure salinity, temperature, and current flows, while underwater acoustic sensors track marine life and seismic activity. This comprehensive data collection supports research on ocean circulation patterns, climate change effects on marine ecosystems, and the monitoring of marine biodiversity.

Conclusion

Wireless Sensor Networks (WSNs) for environmental monitoring represent a transformative approach towards gathering and analyzing environmental data. Their application spans large-scale and long-duration monitoring tasks, enabling detailed spatial resolution and real-time data accessibility. This technological advancement supports not only the scientific understanding of environmental changes and natural phenomena but also enhances practical applications in agriculture, urban planning, and disaster management. The integration of WSNs into environmental monitoring underscores the potential of technology to revolutionize how we interact with and manage our natural surroundings, paving the way for more informed decision-making and proactive environmental stewardship.

References

1. Corke P, Wark T, Jurdak R, Hu W, Valencia P, Moore D. Environmental wireless sensor networks. *Proceedings of the IEEE*. 2010 Oct 7;98(11):1903-17.
2. Roopa. Environmental Monitoring through Wireless Sensor Networks. *International Journal of Scientific Research in Education*, 2014, 2.
3. Cao X, Chen J, Zhang Y, Sun Y. Development of an integrated wireless sensor network micro-environmental monitoring system.. *ISA transactions*. 2008;47(3):247-55.
<https://doi.org/10.1016/j.isatra.2008.02.001>.
4. Sunny S, Mathew R. Automatic Environmental Monitoring System using Wireless Sensor Network; c2017. <https://doi.org/10.21172/ijiet.81.034>.
5. Barrenetxea G, Ingelrest F, Schaefer G, Vetterli M. Wireless sensor networks for environmental monitoring: The sensorscope experience. In 2008 IEEE International Zurich Seminar on Communications. 2008 Mar 12; 98-101. IEEE.
6. Lanzolla A, Spadavecchia M. Wireless sensor networks for environmental monitoring. *Sensors*. 2021 Feb 7;21(4):1172.
7. Ye D, Gong D, Wang W. Application of wireless sensor networks in environmental monitoring. In 2009 2nd international conference on power electronics and intelligent transportation system (PEITS) 2009 Dec 19;1:205-208. IEEE.